


Tapes


TN Low Bake Masking tape

| | | |
|------------|---------|--------------|
| 19mm x 50m | 48 pack | TN/MT-E80/19 |
| 25mm x 50m | 36 pack | TN/MT-E80/25 |
| 50mm x 50m | 24 pack | TN/MT-E80/50 |



TN Euro 80

| | | |
|------------|---------|--------------|
| 19mm x 50m | 48 pack | TN/MT-E60/19 |
| 25mm x 50m | 36 pack | TN/MT-E60/25 |
| 50mm x 50m | 24 pack | TN/MT-E60/50 |



3M 2090 Masking Tape

| | | |
|------------|---------|------------|
| 25mm x 50m | 24 pack | 3M/2090/25 |
| 50mm x 50m | 24 pack | 3M/2090/50 |



3M Clipper Masking Tape

| | | |
|------------|---------|---------|
| 18mm x 50m | 48 pack | 3M/7843 |
| 21mm x 50m | 44 pack | 3M/7844 |
| 24mm x 50m | 36 pack | 3M/7845 |
| 36mm x 50m | 24 pack | 3M/7846 |
| 48mm x 50m | 20 pack | 3M/7847 |
| 72mm x 50m | 12 pack | 3M/7848 |
| 96mm x 50m | 8 pack | 3M/7849 |

3M 2211 Masking Tape

| | | |
|-------------|---------|-------------|
| 19mm x 50m | 48 pack | 3M/2211/19 |
| 25mm x 50m | 36 pack | 3M/2211/25 |
| 50mm x 50m | 24 pack | 3M/2211/50 |
| 75mm x 50m | 20 pack | 3M/2211/75 |
| 100mm x 50m | 20 pack | 3M/2211/100 |

3M 2214 Masking Tape

| | | |
|------------|---------|------------|
| 12mm x 50m | 72 pack | 3M/2214/12 |
| 19mm x 50m | 48 pack | 3M/2214/19 |
| 25mm x 50m | 36 pack | 3M/2214/25 |
| 50mm x 50m | 20 pack | 3M/2214/50 |

Titan

Low Bake Masking Tapes

Introducing a new improved grade of masking tape, that gives extra adhesion at high temperatures making it suitable for use in low bake ovens up to 80°C.

Will not leave adhesive residue when removed or harm fresh paintwork.

A flexible tape formula improves adhesion around corners and difficult areas. This tape is easy to work with.

Euro 80

A high quality 80° bake masking tape which leaves very little residue behind. Perfect for use with PU and alkyd paints.

3M Marine

2090 Masking Tape

2090 provides UV stability and adhesive transfer resistance up to 7 days after application. Conformable and smooth for use in various paint, varnish and general masking applications. Bright blue in colour for easy tape identification.

Clipper Masking Tape

This high quality 3m masking tape is strong and durable making it especially suited for long masking runs.

2211 Masking Tape


This tape from 3m is suitable for use up to 80° making it for applications which involve using an oven. This fairly high tack product can be used for antifouling and two pack PU paint jobs.

2214 Masking Tape

This tape is similar to 2211, but is only suitable for temperatures up to 60°. It is an ideal general purpose tape which can be used in many applications in Marine work.

3M Dual Lock Fasteners

| | | | | |
|------------|-----|--------|-------|-----------|
| 25mm x 46m | 400 | 2 pack | Black | 3M/SJ3551 |
| 25mm x 46m | 250 | 2 pack | Black | 3M/SJ3550 |
| 25mm x 46m | 170 | 2 pack | Black | 3M/SJ3552 |
| 25mm x 46m | 250 | 2 pack | Trans | 3M/SJ3560 |
| Mini Pack | | | | |
| 25mm x 5m | 250 | 2 pack | Black | 3M/SJ355D |
| 25mm x 5m | 250 | 2 pack | Trans | 3M/SJ356D |



3M Scotchmate Hook & Loop

Mini Pack

25mm x 5m 250 4 pack Black 3M/SJ352D
 This is a twin pack system and has both male and female sides in one pack. Contains 1 x SJ3526 + SJ3527. Ideal for counter top selling. Also available in in 25mm/50mm x 47m rolls, with a choice of standard or extra strong acrylic backing.



Please 'phone for extra details.

3M Double Sided Foam Tapes

Polyurethane


| | | | |
|------------|---------|-------|------------|
| 19mm x 66m | 12 pack | White | 3M/4032/19 |
| 25mm x 66m | 9 pack | White | 3M/4032/25 |

Acrylic

| | | | |
|------------|---------|------|---------|
| 9mm x 10m | 12 pack | Grey | 3M/6211 |
| 12mm x 10m | 12 pack | Grey | 3M/6212 |
| 19mm x 10m | 12 pack | Grey | 3M/6214 |

3M Double Coated Acrylic Foam Tapes

| | | | | |
|------------|-------|--------|---------|-------------|
| 12mm x 33m | 0.6mm | 6 pack | Paper | 3M/4930/12 |
| 19mm x 33m | 0.6mm | 4 pack | Paper | 3M/4930/19 |
| 25mm x 33m | 0.6mm | 3 pack | Paper | 3M/4930/25 |
| 12mm x 33m | 1.1mm | 6 pack | Plastic | 3M/4945f/12 |
| 25mm x 33m | 1.1mm | 3 pack | Plastic | 3M/4945f/25 |
| 12mm x 33m | 1.1mm | 6 pack | Paper | 3M/4945/12 |
| 19mm x 33m | 1.1mm | 4 pack | Paper | 3M/4945/19 |
| 25mm x 33m | 1.1mm | 3 pack | Paper | 3M/4945/25 |



3M Transfer & Double Coated Tapes

| | | | |
|------------|--------|---------|------------|
| 12mm x 55m | 0.13mm | 36 pack | 3M/9485/12 |
| 19mm x 55m | 0.13mm | 36 pack | 3M/9485/19 |
| 25mm x 55m | 0.13mm | 36 pack | 3M/9485/25 |
| 50mm x 55m | 0.13mm | 36 pack | 3M/9485/50 |
| 9mm x 50m | 0.07mm | 96 pack | 3M/9570/9 |
| 12mm x 50m | 0.07mm | 72 pack | 3M/9570/12 |
| 9mm x 50m | 0.1mm | 96 pack | 3M/9571/9 |
| 12mm x 50m | 0.1mm | 72 pack | 3M/9571/12 |
| 12mm x 50m | 0.25mm | 75 pack | 3M/9573/12 |
| 25mm x 50m | 0.25mm | 36 pack | 3M/9573/25 |



3M Marine

Dual Lock Fasteners

provide reclosable fastening for a wide range of applications. Mating dual-lock type 4000 with tape 170 provides the most universal fastener combination. Mating type 4000 to itself provides an alternative design when the closure involve two flexible surfaces.

Also available in mini packs, these include two small (5 metre) lengths of dual lock in a convenient dispensing unit.

Scotch Mate Hook & Loop

Adhesive backed fasteners designed for dynamic and static load applications on smooth, clean and dry surfaces. Pressure sensitive adhesive designed to meet the high and low temperature demands encountered in the marine environment.

Double sided foam tapes

Ideal for a wide range of general purpose mounting and joining applications. Used for mounting mirrors, interior signs and wire/cable clips. Will reduce vibration transmission. All tapes have a thickness of approximately 0.8mm.

Double coated acrylic foam tapes,

with acrylic adhesive on both sides. Used for several assembly jobs as an alternative to mechanical fasteners and liquid adhesives. Available in 0.6mm and 1.1mm thickness.


Transfer & double coated tapes,

used in the marine industry for the positioning of boarders before sewing, during the manufacturing of sails. Can also be used for the assembly of similar materials.

Tapes

3M 218 Scotch Fine Line

| | | |
|------------|---------|---------|
| 3mm x 55m | 48 pack | 3M/6520 |
| 6mm x 55m | 24 pack | 3M/6521 |
| 12mm x 55m | 18 pack | 3M/6522 |
| 19mm x 55m | 12 pack | 3M/6523 |



3M Marine


Speciality Masking Tapes

218 Scotch Fine Line

Highly conformable polypropylene tape which stretches easily for use when painting smooth curves. Suitable in applications up to 80°C. Use for masking curved areas to provide a very sharp outside edge.

3M 256 Green Masking Tape Outdoor Finline Tape

| | | |
|------------|---------|---------|
| 25mm x 50m | 36 pack | 3M/9052 |
|------------|---------|---------|




256 Green Masking Tape Outdoor Finline tape

256 has a smooth, sharp edge and doesn't lose its shape when applied over a long, continuous horizontal surface, such as masking for painting the boot-top line. Has a five day life expectancy when exposed to continuous UV light.

3M 471 PVC Tapes

| | | |
|------------|---------|---------------|
| 19mm x 33m | 48 pack | 3M/471/19/COL |
| 25mm x 33m | 36 pack | 3M/471/25/COL |

All sizes are available in the following colours; yellow, white, black, red, green and blue.




471 PVC Tapes

Plastic tapes that are highly conformable, excellent for masking off areas for detailed line and decoration. Highly suited for masking over rivets or aluminium boats. Has a removal time of one month once exposed to UV light.

3M 4811 Preservation Tape

| | | |
|------------|---------|---------|
| 50mm x 33m | 24 pack | 3M/9051 |
|------------|---------|---------|




Specialist Tapes

4811 Preservation Tape

Plastic film designed for use in the sealing of plastic sheeting and shrink wrap for boat storage and over-the-road transportation. Removes cleanly and easily up to two years after application.

3M 5421 Polyethylene Tape

| | | |
|------------|--------|-----------|
| 25mm x 33m | 9 pack | 3M/5421/1 |
| 50mm x 33m | 9 pack | 3M/5421/2 |




5421 Polyethylene Tape

Polyethylene tape used when racing, to help ropes moving through deck hardware, avoiding the normal amounts of friction incurred when rubbing on plastic or metal parts. Silicone adhesive backed, suitable for applications between -55°C to +205°C.

3M 3997/3998 Waterproof Cloth Tape

| | | |
|------------|---------|---------|
| 50mm x 50m | 24 pack | 3M/3997 |
| 50mm x 50m | 24 pack | 3M/3998 |



3997/8 Waterproof Cloth Tape

A tough, resilient tape with high strength adhesive backing. Ideal for running repairs during long periods at sea, or when racing. Suitable for temporary sail repair.

3997 has less tack and available in black, where as 3998 incorporates a higher level of adhesion and is available in a silver colour.

Tapes


3M Scotch 23 Self-amalgamating Tape

| | | |
|-----------|---------|------------|
| 19mm x 9m | 40 pack | 3M/SC23/19 |
| 25mm x 9m | 30 pack | 3M/SC23/25 |
| 38mm x 9m | 30 pack | 3M/SC23/38 |
| 50mm x 9m | 30 pack | 3M/SC23/50 |



3M Marine Protective Tapes

| | | |
|-------------|--------|-------------|
| 30cm x 305m | 4 pack | 3M/3W26X/12 |
| 30cm x 305m | 2 pack | 3M/3W26X/24 |



3M Hand-masker

| | | | |
|-------------|-------|---------|----------|
| 30cm x 165m | MF-12 | 12 pack | 3M/MF/12 |
| 60cm x 55m | MF-24 | 12 pack | 3M/MF/24 |
| 120cm x 55m | MF-48 | 12 pack | 3M/MF/48 |
| 180cm x 30m | MF-72 | 12 pack | 3M/MF/72 |
| 250cm x 30m | MF-99 | 9 pack | 3M/MF/99 |



3M Scotch Super 33+ Vinyl Plastic Electrical Tape

| | | | |
|------------|----------|-------|------------|
| 19mm x 20m | 100 pack | Black | 3M/SUPER33 |
|------------|----------|-------|------------|



Marine & Industrial Fineline Tape

| | | |
|----------------------|---------|------------|
| 3mm x 33m x 0.127mm | 10 pack | IND/FLT-3 |
| 6mm x 33m x 0.127mm | 10 pack | IND/FLT-6 |
| 9mm x 33m x 0.127mm | 10 pack | IND/FLT-9 |
| 12mm x 33m x 0.127mm | 10 pack | IND/FLT-12 |
| 19mm x 33m x 0.127mm | 10 pack | IND/FLT-19 |

Marine & Industrial Ductape

| | | |
|------------|-------|------------|
| 50mm x 50m | White | TN/DUCT/WH |
| 50mm x 50m | Black | TN/DUCT/BL |
| 50mm x 50m | Grey | TN/DUCT/GY |

**PRICE BREAKS
FOR
LARGE ORDERS.**

3M Marine Specialist Tapes

Scotch 23

Self-amalgamating Tapes used for terminating or jointing cable. Highly effective for wrapping round shrouds to prevent chafing, or the loosening of fittings. Black in colour and suitable for applications between -500c and +900c.

Protective Tapes

Abrasion resistant tapes designed to give outstanding protection to topside surfaces and cabin soles of boats under construction or repair and or restoration. It's adhesive transfer resistance makes it ideal for wherever protection from wear and tear damage is needed. Can also be used as a temporary carpet for new boat display and to protect plastic port-lights and windshields from scratching during installation. Will also prevent damage to painted, varnished and gelcoat surfaces, as well as wooden and fibreglass decks.

Hand-masker

This unique masker dispenses the exact length of tape and masking film directly to the work surface, providing material and labour saving advantages. Pre-folded masking film rolls, offer paint overspray protection for larger surface areas on decks and hulls.

Super 33+ Vinyl Plastic Electrical Tape

A premium grade all-weather tape; has excellent resistance to flame, abrasion, moisture, alkalis, solvents, oil and many acids. Gives full electrical and mechanical protection.

Marine & Industrial Fineline Tape

Professional quality masking tape that can be double baked. Temperature resistant to 132°C.

Ductape

Self-adhesive, high quality, waterproof tape, suitable for a wide range of marine repairs.

Marine & Industrial Parcel Tape

50mm x 50m Brown PARCELTAPE

Highly recommended

Marine & Industrial Bondbreaker Tape

4mm x 66m Yellow BBT4

6mm x 66m Yellow BBT6

9mm x 66m Yellow BBT9

Marine & Industrial PVC Tape Electrical

19mm x 33m Red TN/E-T/19RD

19mm x 33m Green TN/E-T/19GN

19mm x 33m White TN/E-T/19WE

19mm x 33m Black TN/E-T/19BK

50mm x 33m Black TN/PVC/50BK

19mm x 33m Yellow TN/E-T/19YW

19mm x 33m Blue TN/E-T/19BE

19mm x 33m Brown TN/E-T/19BN

Eight colours, 19mm x 20m rolls.

Alternatively other widths in 33m rolls available.

Marine & Industrial Aluminium Tape

50mm x 50m 24 pack TN/DUCT/ALI

Marine & Industrial

Packaging Tape

Low noise packaging tape excellent for use in confined spaces.

Bondbreaker Tape

Deck caulking material is designed to absorb the side to side movement of Teak decking as it expands and contracts with changes in the weather. To ensure proper performance, it is imperative that adhesion to the bottom of the seam section by caulking sealant is avoided at all costs. To accomplish this, a strip of release tape is applied to the bottom of the seam after the primer has dried.

PVC Tape Electrical

PVC to BS3924 flame retardant. Ideal for luff wires, cringles, spar, most mast markings and onboard electrics.

Aluminium Tape

40 micron soft tempered bright aluminium foil, coated with a high tack pressure sensitive adhesive.

Tough heat resistant foils available in a range of thicknesses and widths, for applications in the HVAC industry and for sealing double glazing. Ideal where a moisture barrier is required.

Norton Normount Thermalbond V2800

An acrylic backed double sided PU foam with high initial and final strengths. Weather and UV resistant resistance make this product suited for external applications, such as rubber bonds, mouldings and GRP adhesion.

Norton Normount V2800

| | | |
|-------|---------------------|--------------|
| V2800 | 0.8mm x 12mm x 50m | V2800/0.8X12 |
| | 0.8mm x 15mm x 100m | V2800/0.8X15 |
| | 0.8mm x 9mm x 100m | V2800/0.8X9 |
| | 1.6mm x 25mm x 61m | V2800/1.6X25 |

Norton Normount V2100

| | | |
|-------|-----------------------|--------------|
| V2100 | 3.2mm x 12mm x 15.25m | V2100/3.2X12 |
| | 4.8mm x 12mm x 15.25m | V2100/4.8X12 |

Normount V2100

A high density double sided PU foam which has high adhesion properties. It is suited for spacing in structural glazing and vibration damping.

Norton Normount V1300

| | | |
|-------|--------------------|--------------|
| V1300 | 0.8mm x 12mm x 61m | V1300/0.8X12 |
| | 0.8mm x 16mm x 61m | V1300/0.8X16 |
| | 1.6mm x 12mm x 61m | V1300/1.6X12 |

Normount V1300

An acrylic backed double sided PU foam which is made to a high quality. Typical applications are highly loadable bonds eg. mirrors to GRP, furniture mouldings etc.

